



ULTRAVAC[®] VACUUM CHAMBER SEALERS



ULTRAVAC VACUUM PACKAGING SOLUTIONS

- » Extend the shelf life of your products
- » Improve the quality and appearance of your goods
- » Increase your distribution reach
- » Boost your production efficiency
- » Gain savings with UltraSource vacuum pouches, vacuum shrink bags, and parts
- » Build confidence using a trusted Ultravac vacuum packaging solution

Ultravac vacuum packaging machines allow you to efficiently seal a wide range of products to a desired level of vacuum pressure. These include meat, cheese, poultry, fish, and other food products, industrial and consumer goods, medical supplies, and pharmaceutical products. With numerous finishing options such as gas flush/modified atmosphere packaging and various number, length and width of sealing bars, Ultravac machines are ideal for vacuum pouch and shrink bag packaging applications.


We provide several single and double chamber vacuum packaging machines to meet a wide range of size and output requirements. Some key benefits and options include:

- » Two year warranty on most machines
- » Three seal bar single chamber offerings - Ultravac 600 and 700
- » Premium Busch pumps in most machines
- » #1 American Made Double Chamber Machine, the Ultravac 2100
- » Numerous options available: gas flush operation; various number of seal bars and sealing widths; high performance perforating knife system; multiple horsepower solutions; and an advanced touch screen controller

Ultravac® is a registered trademark of UltraSource LLC



YouTube



WATCH VIDEO
Ultravac 250 Vacuum Chamber Sealer Paired with Zebra 2D420 Label Printer


ULTRASOURCE HAS YOUR HACCP COMPLIANT CHAMBER MACHINE!

We've taken our industry leading vacuum chamber machines and added an advanced touch screen and printer to make your HACCP easier! Control is at your fingertips with easy operation, and labeling that will speed your packaging process while keeping your business compliant with regulations.

- » Easy to use Zebra 420 printer
- » Clamshell design with intuitive interface
- » Fast and high quality printing capability
- » Label peeler automatically removes labels from backing for fast application

ULTRAVAC INNOVATION

Advanced Touchscreen Controller




OPTIONAL TOUCHSCREEN DISPLAY AVAILABLE ON MOST MODELS

- » Large, 4.3" LCD touchscreen shows real-time operation
- » Easily recall up to 99 preprogrammed routines
- » Printer quick disconnect for easy cleaning & location changes
- » Maintenance screen for monitoring machine health




TABLETOP VACUUM PACKAGING

FLEXIBILITY, RELIABILITY, PERFORMANCE



5.7" DEPTH CHAMBER CAPACITY


- » 11.8" seal bar
- » 5.7" chamber depth
- » 1/2-HP vacuum pump
- » Digital control panel
- » Electrical: 110 VOLT, single phase
- » One year warranty



7.2" DEPTH CHAMBER CAPACITY

- » 15.67" seal bar
- » 7.2" chamber depth
- » 1.25-HP vacuum pump
- » Analog control panel
- » Electrical: 110 VOLT, single phase
- » Made by UltraSource in the USA
- » NSF with optional feet

PROUDLY MADE BY
UltraSource®
IN THE USA



6.75" DEPTH CHAMBER CAPACITY

- » 15.67" seal bar
- » 6.75" chamber depth
- » 1.25-HP vacuum pump
- » Hot wire cutoff
- » Digital control panel
- » Electrical: 110 VOLT, single phase
- » Made by UltraSource in the USA
- » NSF certified

PROUDLY MADE BY
UltraSource®
IN THE USA

PARTS AND SUPPLIES

SHOP FOR EXCELLENT QUALITY PACKAGING SUPPLIES FOR ALL OF YOUR NEEDS.

We offer a wide selection of vacuum pouches, shrink bags, labels, meat chub bags, and more for your custom packaging needs.



If you have any questions or would like a quote, feel free to contact us at 800.777.5624 or on our website at www.UltraSourceUSA.com

POPULAR VACUUM MACHINE PART NUMBERS	ULTRAVAC® 225 250 400	ULTRAVAC® 500 550 600 700	ULTRAVAC® 2100
SEAL BAR ELEMENTS	860034 (UV225,250,400) STANDARD 860639 (UV250) 6 MM	860034 (UV500,550) STANDARD 860639 (UV500,550) 6 MM 909252 (UV600,700) 20" 909526 (UV600,700) 24"	880746 (SINGLE SEAM) 880746 (DOUBLE SEAM - TWO USED) 860512 10 MM
LID GASKETS	840063 (UV225) 860220 (UV250, 400)	860220 (500, 550, 600, 700)	880432
TEFLON TAPE	840170	840170	885507
LID SPRINGS	860945 (UV225) 860027 (UV250) 860038 (UV400)	860038 (UV500,550) 909537 (UV600,700)	860244
OIL	884750	884755	884755 (STANDARD) 884750 (LOW TEMP) 884756 (SEVERE DUTY)
OIL FILTER	NONE	885410	885410 (5HP) 840904 (ALL OTHERS)
EXHAUST FILTER	884361	884576	884576 (5HP) BUSCH PUMP 883747 (7½HP & 10HP) BUSCH PUMP 840902 7½HP) LEYBOLD PUMP 840903 (10HP) LEYBOLD PUMP
SEAL BLADDER	861033 (UV225) 861022 (UV250) 861234 (UV400)	861234 (UV500,550)	861002

VIEW PARTS

Ultravac Vacuum Packaging Machine Parts

NEED ULTRAVAC REPLACEMENT PARTS?

Visit ultrasourceusa.com or call 800.777.5624 for seal bar elements, teflon tape, springs & more!

SINGLE CHAMBER VACUUM PACKAGING



WATCH VIDEO

YouTube


"UltraSource Ultravac 500 Vacuum Chamber Packaging Machine"



WATCH VIDEO

YouTube

"UltraSource Ultravac 700"




5" DEPTH CHAMBER CAPACITY

- THE ULTRAVAC® 400**
EQUIPPED WITH TWO SEAL BARS & ONE LARGE CAPACITY CHAMBER.
- » 1.25-hp Busch® vacuum pump
 - » Two 18" seal bars, one located on either side of the chamber
 - » Patented lid hinge system minimizes stress on lid to eliminate cracking
 - » 5-in. chamber depth
 - » Flat 1.25-in. acrylic lid
 - » Locking casters
 - » Made in the USA
 - » Two year warranty

PROUDLY MADE BY **UltraSource®** IN THE USA

2 YEAR WARRANTY





9" DEPTH CHAMBER CAPACITY

- THE ULTRAVAC® 500**
EQUIPPED WITH TWO SEAL BARS & ONE LARGE CAPACITY CHAMBER.
- » 2-hp Busch® vacuum pump
 - » Two 18" seal bars, one located on either side of the chamber
 - » Patented lid hinge system minimizes stress on lid to eliminate cracking
 - » Digital control panel
 - » 9-in. chamber depth
 - » Locking casters
 - » Available in 1 or 3 Phase
 - » Made in the USA
 - » Two year warranty

PROUDLY MADE BY **UltraSource®** IN THE USA

NSF ETL LISTED 2 YEAR WARRANTY




7" DEPTH CHAMBER CAPACITY

- THE ULTRAVAC® 600**
EQUIPPED WITH THREE SEAL BARS & ONE LARGE CAPACITY CHAMBER.
- » Two 20" seal bars on both sides, and one 24.5" on the front side of the chamber
 - » Domed lid with 7-in. chamber depth
 - » 2-hp Busch® vacuum pump
 - » Patented lid hinge system minimizes stress on lid to eliminate cracking
 - » Standard smokehouse feet
 - » Locking, heavy duty casters, optional
 - » Three seal bars
 - » Available in 1 or 3 Phase
 - » Made in the USA
 - » Two year warranty

PROUDLY MADE BY **UltraSource®** IN THE USA

2 YEAR WARRANTY



9" DEPTH CHAMBER CAPACITY

- THE ULTRAVAC® 700**
EQUIPPED WITH THREE SEAL BARS & ONE LARGE CAPACITY CHAMBER.
- » Two 20" seal bars on both sides, and one 24.5" on the front side of the chamber
 - » Domed lid with 9-in. chamber depth
 - » 3-hp Busch® vacuum pump
 - » Patented lid hinge system minimizes stress on lid to eliminate cracking
 - » Standard smokehouse feet
 - » Locking, heavy duty casters, optional
 - » Three seal bars
 - » Available in 1 or 3 Phase
 - » Made in the USA
 - » Two year warranty

PROUDLY MADE BY **UltraSource®** IN THE USA

2 YEAR WARRANTY


DOUBLE CHAMBER VACUUM PACKAGING

AN INVESTMENT IN A
QUALITY ULTRAVAC®
VACUUM CHAMBER
MACHINE IS A
SMART CHOICE FOR
YOUR BUSINESS!

- » With industrial strength construction, these machines are built to last!
- » Compact design with great capacity & sealing options, maximize your space!
- » Fast cycle times with high performing Busch® vacuum pumps, boost your yields!
- » Two year warranty on most machines backed by UltraSource service & support.
- » Over 137 year history and still going strong!



1
YEAR
WARRANTY



CHAMBER
CAPACITY *2


ULTRAVAC® 800

- » Heavy duty 9-gauge stainless steel construction
- » 5 or 10-HP Busch® vacuum pump
- » Digital control panel
- » Seal bar length: 31.5" (800mm)
- » 10 mm wide band seals
- » Bladder activated sealing
- » 10" chamber depth
- » Heavy duty locking casters
- » One year warranty



10"
CHAMBER
HEIGHT

1
YEAR
WARRANTY



CHAMBER
CAPACITY *2

ULTRAVAC® 880


- » 12-HP Busch® vacuum pump
- » Durable stainless steel construction
- » 10" or 12" lid height
- » 10 mm wide band seals
- » NEMA 4 programmable control panel
- » NEMA 4 electrical enclosures
- » Heavy duty locking casters
- » 34.5" seal bars
- » One year warranty



AUTOMATIC
LID ACTION

12"
CHAMBER
HEIGHT

1
YEAR
WARRANTY



CHAMBER
CAPACITY *2


ULTRAVAC® 1000

- » 12-HP Busch® vacuum pump
- » Durable stainless steel construction
- » 12" lid height
- » 10 mm wide band seals
- » NEMA 4 programmable control panel & enclosures
- » Automatic lid swing with safety guard
- » Heavy duty casters
- » 39" seal bars
- » One year warranty



#1 BEST
SELLING
AMERICAN
MADE

2
YEAR
WARRANTY



CHAMBER
CAPACITY *2

ULTRAVAC® 2100


- » 8" or 12" chamber depth
- » 26.5" seal bars
- » 8" lid configuration
- » Electrical: Any voltage, 1-PHASE or 3-PHASE*
- » 5, 7.5, 10, or 12-HP pump*
- » Made by UltraSource in the USA
- » Two year warranty



*5 hp available with 1 phase
8" lid configuration only



2
YEAR
WARRANTY



CHAMBER
CAPACITY *2


ULTRAVAC® 3000

- » 39" seal bars
- » 12" chamber depth
- » Dual 10-HP or 12-HP vacuum pumps
- » 10 mm wide band seal
- » Electrical: Any voltage, 3-PHASE
- » Made by UltraSource in the USA
- » Two year warranty



AUTOMATIC
LID ACTION

2
YEAR
WARRANTY



CHAMBER CAPACITY *2
ONE CHAMBER FOR AUTOMATIC CONVEYOR LOADING
AREA & ONE FOR AUTOMATIC VACUUM SEALING

ULTRAVAC® 3500

- » 39" seal bars
- » 12" chamber depth
- » Dual 10-HP or 12-HP vacuum pumps
- » Automatic lid opening & closing
- » NEMA 4 rated color touch screen control panel
- » Electrical: Any voltage, 3-PHASE
- » Made by UltraSource in the USA
- » Two year warranty



ULTRASHRINK™ 2818 DIP TANK



ULTRASHRINK™ 2818 DIP TANK
3 PHASE ONLY – 50-LBS. CAPACITY

Are you thinking about making the jump from vacuum pouches to shrink bags? Then consider our stainless steel UltraShrink™ 2818 Dip Tank for contoured retail packaging!

- » Large 28" x 18" platform
- » Minimal splash
- » Elevated controls
- » Variable speed control
- » Any voltage available



ULTRASHRINK™ 3012
AUTOMATIC SHRINK TUNNEL



ULTRASHRINK™ 3012
AUTOMATIC SHRINK TUNNEL

- » All stainless steel construction
- » Easy sanitation, removable transport conveyor
- » Electric or steam heating
- » Automatic water level control
- » Digital water temperature control
- » Easy access drainage spout

» 30" OPENING COMPATIBLE
WITH ANY CHAMBER MACHINE
OR CONVEYOR



INTACT® VS571 SKIN PACKAGING

INTACT® VS571 SKIN
PACKAGING MACHINE


Designed for continuous, efficient operation, our Intact® VS571 machine reduces labor costs through the remote loading of product utilizing a magazine system. This technology ensures total flexibility of product & reduced cycle time.

VS571 FEATURES:

- » Stainless steel construction
- » Manual control
- » 5-HP vacuum pump
- » Efficient, self contained vacuum pump
- » Works with film to film, film to gold board, or film to tray
- » Machine dimensions: 40.7"W x 39.3"D x 55.2"H
- » Chamber dimensions: 27.5"W x 19.6"D x 3.9"H



» THE PACKAGING FLEXIBILITY &
HIGH END LOOK AT A FRACTION
OF THE COST OF ROLLSTOCK



TYPICAL VS571 TRAY CONFIGURATION



VISUALLY APPEALING
HIGH GLOSS PACKAGING
INTACT® FILM DISPENSER & INTACT® FILM

INTACT® VS571 SKIN
PACKAGING MACHINE

The Intact® process is a unique method for creating a “retail ready” vacuum skin package & offers greater versatility in package type, size, & style because of its ability to run with film to tray, film to board, & film to film configurations. The benefits of using an Intact machine are amazing – a high gloss, wrinkle free vacuum skin package at a fraction of the cost of most rollstock packaging machines.

Intact® semi automatic packaging machines are ideal for packaging a wide range of fresh or frozen meat, poultry, & seafood products such as ribeye steaks, loin pork chops, T-bones, fish, sushi, oysters, lobster tail, salmon, or shrimp.



STAY CONNECTED

UltraSource LLC

1414 West 29th Street
Kansas City, MO 64108-3604 USA

800.777.5624

Office: 816.753.2150

Fax: 816.753.4976

info@UltraSourceUSA.com

UltraSourceUSA.com



VACUUM PACKAGING SPECIALISTS



John Riddle, Ext. 2057
John.Riddle@UltraSourceUSA.com



Montana Jarman, Ext. 2034
Montana.Jarman@UltraSourceUSA.com



INTERNATIONAL SALES REPRESENTATIVE

SE HABLA
ESPAÑOL



Francisco Najar, Ext. 2032
Francisco.Najar@UltraSourceUSA.com

